



FlakeRite®

FlakeRite® is a non-ionic water surfactant that is non-corrosive, will not irritate the skin, damage clothing or footwear and does not accelerate mill wear. Analysis has shown it will reduce the surface tension of water by over 50% (72 dynes down to 32 dynes).

Feed Conditioning

FlakeRite® will assist water to penetrate more evenly and deeper into grain particles enabling better retention of moisture in rations with the following benefits:

- Reduced energy requirements to mill the grain
- Reduced wear on milling equipment
- Minimal loss or shrinkage of grain caused by processing
- Reduced grain fines and less dust
- Effectively increases grain moisture

Molasses

FlakeRite® added to molasses will assist with the ease of flow and pumping with the following benefits:

- Less handling problems in colder weather
- Reduced energy costs in pumping
- Reduced residue build-up in handling equipment
- Improved molasses distribution in rations

Press Line

FlakeRite® will assist water to penetrate more evenly and deeper into grain particles enabling better transfer of heat with the following positive benefits:

- Improved die and roll shell life
- Reduced energy requirements for press operation.
- Enables safe replacement of moisture lost due to processing
- Savings in maintenance costs
- Improved physical form of pellets and reduced fines

FlakeRite® Detail

Description	A free flowing aqueous solution
Colour	Red/yellow
Packaging	1,000kg modules or 25kg drums
Usage Rates	Stockfeed 60grams/t Molasses 200grams/t